



S84 & S86 Thermostat Brand Cross-Reference





		S84NIHC	S84NSU	S86NMU	S86NMUPR	S86WMUPR	
HONEYWELL / RESIDEO	Family/Model						
	Wi-Fi						
	T10 Pro Wi-Fi / THX321WFS2001W					■	
	T9 Wi-Fi Smart / RCHT9610WFSW2003					■	
	T6 Pro Smart / TH6220WF2006					■	
	T6 Pro Smart / TH6320WF2003					■	
	NON Wi-Fi						
	T6 Pro / TH6210U2001			■			
	T6 Pro / TH6220U2000			■	■		
	T6 Pro / TH6320U2008				■		
T4 Pro / TH4110U2005	■						
T4 Pro / TH4210U2002		■					
WHITE RODGERS	Family/Model						
	Wi-Fi						
	1F87U-42WF					■	
	Sensi Wi-Fi					■	
	Sensi Touch Wi-Fi					■	
	NON Wi-Fi						
	1F86EZ-0251	■					
	1F83C-11NP/PR	■					
	1F83H-21NP/PR		■				
	1F97-1277		■				
1F85U-42NP/PR			■				
1F95-1277			■				
1F95-1291				■			
PRO1	Family/Model						
	Wi-Fi						
	T855i					■	
	NON Wi-Fi						
	T701	■					
	T705	■					
	T805	■					
	T721		■				
	T725		■				
	T751			■			
T755			■				
T855			■				
T955			■				
T955WH				■			
BRAEBURN	Family/Model						
	Wi-Fi						
	7320					■	
	NON Wi-Fi						
	2020	■					
	2220		■				
5020		■					
5220			■				
6425				■			



MODEL NUMBER		S84NIH1C	S84NSU	S86NMU	S86NMUPR	S86WMUPR **
General	Dimensions	3.75" X 3.75" X 1.00"	3.75" X 3.75" X 1.00"	4.38"x4.38"x0.80"	4.38"x4.38"x0.80"	4.38"x4.38"x0.80"
	Color Graphical Display	1.77"	1.77"	2.4"	2.4"	2.8"
	Power	Battery or 24 VAC*	Battery or 24 VAC*	24 VAC*	24 VAC*	24 VAC*
	Menu Style, Real Language Setup	●	●	●	●	●
Temperature Control	Heat/Cool Stages	1H/1C	1H/1C	2H/2C	2H/2C	2H/2C
	Heat Pump Stages	N/A	2H/1C	4H/2C	4H/2C	4H/2C
	Dual-Fuel Capable		●	●	●	●
	Progressive Recovery	●	●	●	●	●
	Heat Blast	●	●	●	●	●
	Programmable	●	●	●	●	●
	Non-Programmable	●	●	●	●	●
Outdoor Temperature	Displays Outdoor Temperature (if equipped)		●	●	●	●
	Provided from wired sensor		●	●	●	●
	Provided from wireless sensor					●
	Provided from web					●
	Provided from Home Automation System					●
Relative Humidity	Senses and Displays Indoor Relative Humidity			●	●	●
IAQ Control ¹	Humidification				●	●
	Dehumidification				●	●
	Ventilation				●	●
Wi-Fi	AprilAire Cloud					●
	Home Automation					●
Wireless Sensors	Indoor Temperature					●
	Outdoor Temperature					●

¹Control of 1 IAQ device * C-wire required

**Wi-Fi compatible and compatible